

Вентилятор

ROBUST

Технические характеристики

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93



Process Heat > Blowers > ROBUST

ROBUST

High pressure blower (side channel compressor). Despite small dimensions a true muscle man.

- Compact construction – high performance
- Sound-suppressed
- Continuous operation
- Can be fitted in every position



SPECIFICATIONS

ROBUST 3 x 230

Voltage	V~	3 x 230
Power consumption	W	250
Frequency	Hz	50 / 60
Air flow (20°C)	l/min	1200 / 1300
Pressure static	Pa	8000 / 10 500
Ambient temperature	°C	
Noise emission level LpA	dB	62
Protection type (IEC 60529)		IP 54
Intake opening (outside)	mm	Ø 38
Outlet opening (outside)	mm	Ø 38
Weight	kg	8.0
Size (L x W x H)	mm	255 x 221 x 221
Marking of conformity		CE
Protection class I		⚡

ROBUST 3 x 400 V

Voltage	V~	3 x 400
Power consumption	W	250

Process Heat > Blowers > ROBUST

Frequency	Hz	50 / 60
Air flow (20°C)	l/min	1200 / 1300
Pressure static	Pa	8000 / 10 500
Ambient temperature	°C	
Noise emission level LpA	dB	62
Protection type (IEC 60529)		IP 54
Intake opening (outside)	mm	Ø 38
Outlet opening (outside)	mm	Ø 38
Weight	kg	8.0
Size (L x W x H)	mm	255 x 221 x 221
Marking of conformity		
Protection class I		


Process Heat > Blowers > ROBUST

ACCESSORIES




Stainless steel filter

107.354 - Stainless steel filter



Hose coupling (ø 38 mm), 3 outlets for ROBUST

107.281 - Hose coupling (ø 38 mm) 3 outlets




Capacitor 12uF / 240V complete (ROBUST 230V)

108.623 - Motor capacitor 230 V for
ROBUST blower104.017 - Motor capacitor 400 V for
ROBUST blower

Air hose ø 19 mm for ROBUST

107.350 - PVC air hose Ø 19 mm



Air hose ø 38 mm

107.286 - PVC air hose Ø 38 mm



Hose clip for ROBUST


107.290 - Hose clip for ø 19 mm air hose

Hose clip, ø 38 mm and
ø 60 mm107.287 - Hose clip for Ø 38 mm and
Ø 60 mm air hose

Process Heat > Blowers > ROBUST

**Hose connection adaptor for ROBUST**

107.298 - Hose connection adaptor,
push-fit on ROBUST blower and
adaptor 107.293 for hose connection

**Hose connection adaptor FOR SILENCE, ROBUST**

107.293 - Hose connection adaptor with
2 air outlet for $\varnothing$ 38 mm hose.
Push-fit on adaptor 107.292

**Closing cap for ROBUST**

107.242 - Closing cap $\varnothing$ 19 mm attachable to
hose connection adaptor 107.298

**Closing cap for ROBUST, AIRPACK**

107.241 - Closing cap $\varnothing$ 38 mm push-fit
on hose connection adaptors 107.292
and 107.293

Frequency converter FC 550

117.359 -

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: ets@nt-rt.ru || www.leister.nt-rt.ru