

Нагреватель со встроенной подачей воздуха

MISTRAL

Технические характеристики

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93



MISTRAL

For great heat in a confined space. Handy, also to reach into the most inaccessible places. Reliable, economical and powerful device, With brushless, high speed and compact motor. Predestined for continuous operation in harsh industrial environments.

- Brushless blower motor for continuous operation
- Light and handy
- Deployable as a built-in device and a hand tool
- Temperature manually adjustable
- Large air flow and high temperature
- Integrated device and heating element protection
- Works in every fitting position
- Wide range of accessories



SPECIFICATIONS

MISTRAL 120 V

Voltage	V~	120
Power consumption	W	2700
Frequency	Hz	50 / 60
Temperature	°C	20 – 650
Air flow (20°C)	l/min	350
Pressure static	Pa	2500 (25 mbar)
Size heater tube	mm	Ø 50
Weight	kg	1.5 (with 3 m cord)
Size (L x ø)	mm	320 x 95, handle Ø 64

Marking of conformity	CE
Approval mark	
Certification scheme	CCA
Protection class II	

Process Heat > Hot air blower > MISTRAL

MISTRAL 200 V

Voltage	V~	200
Power consumption	W	3000
Frequency	Hz	50 / 60
Temperature	°C	20 – 650
Air flow (20°C)	l/min	350
Pressure static	Pa	2500 (25 mbar)
Size heater tube	mm	Ø 50
Weight	kg	1.5 (with 3 m cord)
Size (L x ø)	mm	320 x 95, handle Ø 64
Marking of conformity		
Approval mark		
Certification scheme		CCA
Protection class II		

MISTRAL 230 V 2300 W

Voltage	V~	230
Power consumption	W	2300
Frequency	Hz	50 / 60
Temperature	°C	20 – 650
Air flow (20°C)	l/min	350
Pressure static	Pa	2500 (25 mbar)
Size heater tube	mm	Ø 50
Weight	kg	1.5 (with 3 m cord)
Size (L x ø)	mm	320 x 95, handle Ø 64
Marking of conformity		

Process Heat > Hot air blower > MISTRAL

Approval mark	
Certification scheme	CCA
Protection class II	

MISTRAL 230 V 3400 W

Voltage	V~	230
Power consumption	W	3400
Frequency	Hz	50 / 60
Temperature	°C	20 – 650
Air flow (20°C)	l/min	350
Pressure static	Pa	2500 (25 mbar)
Size heater tube	mm	Ø 50
Weight	kg	1.5 (with 3 m cord)
Size (L x ø)	mm	320 x 95, handle Ø 64

Marking of conformity	
Approval mark	
Certification scheme	CCA
Protection class II	

Process Heat > Hot air blower > MISTRAL

ACCESSORIES



Wide slot nozzle 150 x 12 mm push-fit on ELECTRON, LHS 40S, 40L, MISTRAL
107.270 - Wide slot nozzle 150 x 12 mm, push-fit



Folding reflector 72 x 70 mm push-fit on ELECTRON, LHS 40S, 40L, MISTRAL
107.331 - Folding reflector 72 x 70 mm, push-fit



Tubular nozzle for LHS 40S, 40L, MISTRAL
107.257 - Tubular nozzle, length 600 mm
Length of air outlet slot 420 mm,
push-fit



Extension nozzle for LHS 40S, 40L, MISTRAL
107.255 - Extension nozzle 36.5 x 160 mm, push-fit



Angled nozzle ø 50 for LHS 40S, 40L, MISTRAL
107.256 - Angled nozzle ø 50 mm
shank length 160 x 100 mm,
push-fit



Wide slot nozzle 70 x 10 mm push-fit on ELECTRON, LHS 40S, 40L
107.258 - Wide slot nozzle 70 x 10 mm, push-fit




Folding reflector 125 x 22mm push-fit on ELECTRON
107.330 - Folding reflector 125 x 22 mm, push-fit

Process Heat > Hot air blower > MISTRAL




Folding reflector 60 x 75mm push-fit on ELECTRON

107.328 - Folding reflector 60 x 75 mm, push-fit




Shell reflector 45 x 250 mm push-fit on ELECTRON and MISTRAL

107.340 - Shell reflector 45 x 250 mm, push-fit



Sieve reflector 150 x 130mm push-fit

107.333 - Sieve reflector 150 x 130 mm, push-fit



Sieve reflector push-fit on ELECTRON and MISTRAL

107.333 - Sieve reflector 130 x 150 mm, push-fit

107.327 - Sieve reflector 85 x 85 mm, push-fit

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04

Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: ets@nt-rt.ru || www.leister.nt-rt.ru